

# WORHAN®


*Products catalogue - 2026*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>21 lb</b>
Height (with packaging):	<b>31 inch</b>
Length (with packaging):	<b>5 inch</b>
Width (with packaging):	<b>22 inch</b>



## DESCRIPTION


*This ramp makes it easy to cross obstacles such as: high thresholds, wires, pipes and other places that prevent the practical movement of people or cargo., The variable height function (from 5cm to 15cm) makes every task easier., 2 sets of extensions are included. , For a minimum height, the platform should be used without extensions., Manufactured to EN-131 and CE standards Specifications: 75cm (width) x 87cm (length), weight 9.2kg, maximum load capacity: 300kg, designed to overcome height obstacles (from 5cm to 15cm). Variable height function., Height is adjustable in 1 mm increments No assembly is required. Ideal for getting around comfortably in wheelchairs, scooters, wheelbarrows, etc. Simple and durable anodized aluminum construction that won't rust. Easy to remove if necessary. The ramp's non-slip surface provides safety for users.*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>10 lb</b>
Height (with packaging):	<b>28 inch</b>
Length (with packaging):	<b>3 inch</b>
Width (with packaging):	<b>22 inch</b>



## DESCRIPTION


*This ramp will simplify the crossing of obstacles like: high thresholds, wires, pipes, and other places that prevent the practical movement of people or cargo. Manufactured according to EN-131 and CE standards Technical specifications: Size: 70cm x 55cm, Weight 3.7kg, Maximum load capacity: 272kg, designed to overcome obstacles 5cm high. GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The ramp support points at each end are equipped with protection to prevent scratches on the floor. No assembly is required. Ideal for getting around comfortably in a wheelchair, scooter, wheelbarrow, etc. A simple and durable anodized aluminum construction that does not rust. Easy to remove if needed. The non-slip surface of the ramp ensures safety for users. Why should you buy the products we manufacture: During manufacture, we use thicker gauge materials for greater strength and increased stability. We specialize in and have many years of experience in the production of ladders and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>12 lb</b>
Height (with packaging):	<b>35 inch</b>
Length (with packaging):	<b>3 inch</b>
Width (with packaging):	<b>17 inch</b>



## DESCRIPTION

*This ramp will simplify the crossing of obstacles such as: high thresholds, wires, pipes, and other places which prevent the practical movement of people or cargo. The variable height function (from 5cm to 10cm) makes any task easier. Manufactured according to EN-131 and CE standards*

*Technical characteristics: Size: 87cm (width) x 41cm (length), Weight 4.6kg, Maximum load capacity: 300kg, designed to overcome height obstacles (from 5cm to 10cm) . Variable height function. The height is adjustable in increments of 1mm No assembly is required. Ideal for getting around comfortably in wheelchairs, scooters, wheelbarrows, etc., etc. Simple and durable anodized aluminum construction that will not rust. Easy to remove if needed. The non-slip surface of the ramp provides safety for the users.*

## PRICE

Please login to see prices

## FEATURES


Gross Weight:	<b>30 lb</b>
Height (with packaging):	<b>33 inch</b>
Length (with packaging):	<b>5 inch</b>
Width (with packaging):	<b>31 inch</b>



## DESCRIPTION

*This ramp makes it easy to cross obstacles such as: high thresholds, wires, pipes and other places that prevent the practical movement of people or cargo., The variable height function (from 5cm to 15cm) makes every task easier., 2 sets of extensions are included., For a minimum height, the platform should be used without extensions., Manufactured to EN-131 and CE standards Specifications: 75cm (width) x 127cm (length)., Weight 12.6kg., Maximum load capacity: 300kg., Designed to overcome height obstacles (from 5cm to 15cm)., Variable height function., Height is in increments of 1mm adjustable No assembly is required. Ideal for getting around comfortably in wheelchairs, scooters, wheelbarrows, etc. Simple and durable anodized aluminum construction that won't rust. Easy to remove if necessary. The ramp's non-slip surface provides safety for users.*

PRICE  
Please login to see prices



FEATURES

Gross Weight:	15.65 lb
Height (with packaging):	1.18 inch
Length (with packaging):	29.53 inch
Width (with packaging):	24.02 inch


DESCRIPTION  
Imported product from containers - TR60

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>10.98 lb</b>
Height (with packaging):	<b>30 inch</b>
Length (with packaging):	<b>3 inch</b>
Width (with packaging):	<b>13 inch</b>



## DESCRIPTION

*This ramp will simplify the crossing of obstacles such as: high thresholds, wires, pipes, and other places which prevent the practical movement of people or cargo. The variable height function (from 5 cm to 10 cm) makes any task easier. Manufactured according to EN-131 and CE standards*


*Technical characteristics: Size: 72cm (width) x 41cm (length), Weight 3.8kg, Maximum load capacity: 300kg, designed to overcome height obstacles (from 5cm to 10cm) . Variable height function. The height is adjustable in increments of 1mm No assembly is required. Ideal for getting around comfortably in wheelchairs, scooters, wheelbarrows, etc., etc. Simple and durable anodized aluminum construction that will not rust. Easy to remove if needed. The non-slip surface of the ramp provides safety for the users.*



PRICE  
Please login to see prices

FEATURES

Gross Weight:	0 lb
Height (with packaging):	0 inch
Length (with packaging):	0 inch
Width (with packaging):	0 inch



DESCRIPTION

*The Threshold Ramp TR157 is a premium accessibility solution engineered for tackling elevated obstacles with ease. Its variable height adjustment system, ranging from 2” to 7.9” (5 cm to 20 cm) in fine 1 mm increments, offers unmatched precision and adaptability for thresholds, pipes, cables, and other barriers. Three included extension sets allow for versatile configurations, while the anodized aluminum construction ensures strength, rust resistance, and long-term durability. With no assembly required, this ramp provides instant usability, effortless removal, and a non-slip surface for maximum safety. Certified to EN-131 and CE standards, the TR157 is ideal for wheelchairs, scooters, wheelbarrows, and cargo handling.*