

WORHAN®

Products catalogue - 2024

PRICE

Please login to see prices

FEATURES

Gross Weight:	33 lb
Height (with packaging):	36 inch
Length (with packaging):	9 inch
Width (with packaging):	21 inch



DESCRIPTION

Ladder height (fully deployed): 10 ft. 6 in., Ladder height (A-Frame at apex): 5 ft. 1 in., Number of rungs: 2x5 ., Rung spacing: 11.8 in., Product storage size: 34 in. x 19 in. x 8 in., Product weight: 28 lbs ., Weight capacity: 330 lbs ., Material: High density grade anodized aluminum Fitted with double stabilizers and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Big hinge, easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

PRICE

Please login to see prices

FEATURES

Gross Weight:	35 lb
Height (with packaging):	50 inch
Length (with packaging):	11 inch
Width (with packaging):	16 inch


DESCRIPTION

Ladder height (fully deployed): 15 ft. 1 in., Ladder height (A-Frame at apex): 7 ft. 3 in., Number of rungs: 4x4 ., Rung spacing: 11.8 in., Product storage size: 48 in. x 15 in. x 10 in., Product weight: 36 lbs ., Weight capacity: 330 lbs ., Material: High density grade aluminum Fitted with double stabilizers and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Big hinge, easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

Ladder height (fully deployed): 15 ft. 1 in., Ladder height (A-Frame at apex): 7 ft. 3 in., Number of rungs: 4x4. Rung spacing: 11.8 in., Product storage size: 48 in. x 15 in. x 10 in., Product weight: 36 lbs., Weight capacity: 330 lbs., Material: High density grade aluminum.

Fitted with double stabilizers and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Big hinge, easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements.

Why choose us? We use thicker gauge materials for more strength and increased stability. We specialized and have many years of experience in the production of a ladders and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.



PRICE

Please login to see prices


FEATURES

Gross Weight:	46 lb
Height (with packaging):	50 inch
Length (with packaging):	11 inch
Width (with packaging):	16 inch

Ladder height (fully deployed): 15 ft. 1 in., Ladder height (A-Frame at apex): 7 ft. 3 in., Height in scaffold configuration: 3 ft. 8 in., Number of rungs: 4x4 , Rung spacing: 11.8 in., Product storage size: 48 in. x 15 in. x 10 in., Product weight (without platforms): 36 lbs., Product weight (with platforms): 42 lbs., Weight capacity: 330 lbs., Material: High density grade aluminum.

Fitted with double stabilizers and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Big hinge, easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements.

Why choose us? We use thicker gauge materials for more strength and increased stability. We specialized and have many years of experience in the production of ladders and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.



DESCRIPTION

Ladder height (fully deployed): 15 ft. 1 in., Ladder height (A-Frame at apex): 7 ft. 3 in., Height in scaffold configuration: 3 ft. 8 in., Number of rungs: 4x4 , Rung spacing: 11.8 in., Product storage size: 48 in. x 15 in. x 10 in., Product weight (without platforms) : 36 lbs ., Product weight (with platforms): 42 lbs ., Weight capacity: 330 lbs ., Material: High density grade aluminum Fitted with double stabilizers and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Big hinge, easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

WORHAN®

7'5" x 2'4" Heavy duty wheelchair disabled foldable ramp Motorbikes (882 lbs max load) HR225

Item ID: HR225

PRICE

Please login to see prices

FEATURES

Gross Weight:	59 lb
Height (with packaging):	72 inch
Length (with packaging):	7 inch
Width (with packaging):	19 inch



DESCRIPTION

Max recommended working height - 23.6 in., This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 882 lbs., Dimensions: Length unfolded: 7 ft. 5 in., Length folded: 45.7 in., Width: 28.4 in., Weight: 57 lbs., Dimensions when folded: 45.7 in x 5.5 in x 28.4 in., The heavy-duty aluminum foldable ramp is a valuable asset, offering both strength and convenience. Constructed from durable aluminum, it ensures reliable support for heavy loads, while its foldable design enhances practicality for storage and transport. The non-slip surface provides added safety, preventing potential injuries by ensuring secure footing during use. The inclusion of a convenient carry handle further enhances its usability, making it easy to transport and deploy wherever needed. This ramp is a reliable solution that prioritizes safety and ease of use, making it an essential tool for various applications., Its practicality shines in applications such as loading and unloading heavy equipment, providing wheelchair accessibility, or facilitating seamless transitions in industrial and commercial settings.

PRICE


Please login to see prices

FEATURES

Gross Weight:	21 lb
Height (with packaging):	31 inch
Length (with packaging):	5 inch
Width (with packaging):	22 inch

DESCRIPTION

Technical Specifications: Size: 30 in. (width) x 34.3 in. (length), Weight: 20.3 lbs. Maximum load capacity of 662 pounds. Foldable design Enhanced Versatility: With an adjustable height feature ranging from 2 in. to 6 in., (precise adjustments in 0.04 inch increments) this ramp ensures seamless adaptability for a multitude of tasks. Included in the package are two sets of extensions, allowing users to customize the ramp's height according to their needs. For lower elevations, the platform can be utilized without extensions, providing a tailored solution for various scenarios. Crafted with precision, this ramp adheres to the rigorous standards of EN-131 and CE, guaranteeing both safety and reliability in its design and construction. No assembly needed – this ramp offers instant convenience for effortless mobility in wheelchairs, scooters, wheelbarrows, and more. Its uncomplicated yet robust anodized aluminum construction guarantees durability without the worry of rusting. The simplicity extends to its easy removal when necessary. Priority is given to safety with a non-slip surface, ensuring users can navigate confidently. An ideal solution for seamless and secure accessibility.



PRICE

Please login to see prices

FEATURES

Gross Weight:	30 lb
Height (with packaging):	33 inch
Length (with packaging):	5 inch
Width (with packaging):	31 inch

DESCRIPTION

Technical Specifications: Size: 30 in. (width) x 50 in. (length), Weight: 27.8 lbs. Maximum load capacity of 662 pounds. Foldable design Enhanced Versatility: With an adjustable height feature ranging from 2 in. to 6 in., (precise adjustments in 0.04 inch increments) this ramp ensures seamless adaptability for a multitude of tasks. Included in the package are two sets of extensions, allowing users to customize the ramp's height according to their needs. For lower elevations, the platform can be utilized without extensions, providing a tailored solution for various scenarios. Crafted with precision, this ramp adheres to the rigorous standards of EN-131 and CE, guaranteeing both safety and reliability in its design and construction. No assembly needed – this ramp offers instant convenience for effortless mobility in wheelchairs, scooters, wheelbarrows, and more. Its uncomplicated yet robust anodized aluminum construction guarantees durability without the worry of rusting. The simplicity extends to its easy removal when necessary. Priority is given to safety with a non-slip surface, ensuring users can navigate confidently. An ideal solution for seamless and secure accessibility.



WORHAN®

12.5ft Air Soft Close Telescopic Ladder (1K3.8Air)

Item ID: 1K3.8Air

PRICE

Please login to see prices

FEATURES

Gross Weight:	28 lb
Height (with packaging):	38 inch
Length (with packaging):	5 inch
Width (with packaging):	22 inch



DESCRIPTION

Ladder height (fully deployed): 12 ft. 5 in., Number of rungs: 13., Rung spacing: 11.8 in., Product storage size: 35 in. x 19 in. x 4 in., Product weight: 26 lbs., Weight capacity: 330 lbs., Material: High density grade anodized aluminum., Easy to use locking mechanism adds additional security and rigidity when product is being used. All of our ladders are manufactured strictly to OSHA and/or ANSI A14.2-2017 standards as well as EN 131 requirements. Innovative technology: Air Soft Close. Automatic folding of the ladder by pushing just 2 buttons thanks to the unique air dampening system. As well as ability to control each rung individually with the additional buttons fitted to each rung. The best of both worlds. Fitted with a stabilizer and grooved/ribbed rung surface to ensure optimal safety. Highly versatile ladders manufactured from high density aluminum. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

WORHAN®

Adjustable height Trestles Sawhorse S600B (set of 2)

Item ID: S600B

PRICE

Please login to see prices

FEATURES

Gross Weight:	45 lb
Height (with packaging):	46 inch
Length (with packaging):	8 inch
Width (with packaging):	11 inch



DESCRIPTION

Product dimensions (closed position) : L 42.7" x W 3.35" x H 5.7" ., Weight: 20lbs (40 lbs/pair)., Maximum load capacity per pair: 2600 lbs., 9 working height adjustments (from 2' to 2'8") due to quickly adjustable legs., The dimensions of the support arms (jaws) are: 1.77" x 3.54" Operational dimensions: Fully folded position (closed) : L 42.7" x W 3.35" x H 5.7" ., Opened, lowest position: L 42.7" x W 20.5" x H 24.4" . , Opened, highest position: L 42.7" x W 27.2" x H 32.3" Employing wooden joists enables the creation of a robust jobsite table with just two sawhorses. The work surface boasts non-slip features, providing enhanced stability and maximum support for various workpieces. Specially crafted non-slip pivoting feet guarantee a secure grip on any terrain. These resilient and long-lasting sawhorses, complete with integrated carry handles, are conveniently foldable for easy transportation and storage, ensuring minimal space requirements. Effortlessly set up with a quick open and close mechanism, ensuring a straightforward experience. Equipped with two material support ledges/pegs for added convenience. Constructed from high-quality powder-coated steel, galvanized to prevent corrosion and ensure the enduring longevity of this equipment. The easels are foldable, ensuring compact storage and easy portability. Built-in carrying handle.

PRICE

Please login to see prices

FEATURES

Gross Weight:	47 lb
Height (with packaging):	46 inch
Length (with packaging):	8 inch
Width (with packaging):	11 inch



DESCRIPTION

Product dimensions: L 45.6" x W 3.35" x H 5.7" ., Weight: 21 lbs (42 lbs/pair)., Maximum load capacity per pair: 2600 lbs., 9 working height adjustments (from 2' to 2'8") due to quickly adjustable legs., Adjustable joist clamping width from W 1.6" x H 3.54" to W 3.6" x H 3.54' to accommodate joists of different thicknesses. Operational dimensions: Fully folded position (closed) : L 45.6" x W 3.35" x H 5.7" ., Opened, lowest position: L 45.6" x W 20.5" x H 24.4" . , Opened, highest position: L 45.6" x W 27.2" x H 32.3" Employing wooden joists enables the creation of a robust jobsite table with just two sawhorses. The work surface boasts non-slip features, providing enhanced stability and maximum support for various workpieces. Specially crafted non-slip pivoting feet guarantee a secure grip on any terrain. These resilient and long-lasting sawhorses, complete with integrated carry handles, are conveniently foldable for easy transportation and storage, ensuring minimal space requirements. Effortlessly set up with a quick open and close mechanism, ensuring a straightforward experience. Equipped with two material support ledges/pegs for added convenience. Constructed from high-quality powder-coated steel, galvanized to prevent corrosion and ensure the enduring longevity of this equipment.

WORHAN®

6 ft. 7 in. Boat Yacht Portable Aluminum Gangway Ramp Foldable Gangplank Manual Passerelle Access
MG200

Item ID: MG200

PRICE

Please login to see prices

FEATURES

Gross Weight:	26 lb
Height (with packaging):	42 inch
Length (with packaging):	7 inch
Width (with packaging):	22 inch



DESCRIPTION

Foldable boat gangway entirely made of aluminum, very light and easy to manipulate. Non-slip surface. Seawater resistant construction. Maximum loading: 265 lbs., Length: 6.7 ft., Width: 14.2 in., Weight: 29 lbs., Product dimensions (when folded): L 41.34 in x W 14.2 in x D 6 in., The gangway is fitted with wheels, Anchoring Socket, and also eyelets on each end of the gangway to allow the rope of the handrail to be fixed. (Rope and handrail are not included), High-end product from a renowned German brand, to equip your sailboat or motor boat. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

PRICE

Please login to see prices

FEATURES

Gross Weight:	42.02 lb
Height (with packaging):	37.4 inch
Length (with packaging):	8.66 inch
Width (with packaging):	20.87 inch



DESCRIPTION

Fully extended length: 500cm., Step ladder height: 243cm (at the apex)., Rungs: 2x8., Folded size: 89cm x 48cm x 20cm., Weight: 17.5kg. German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs. Superior quality and stability., Very durable ladders which have been manufactured from high quality aluminum., Hinge locking mechanism adds extra security and rigidity when using the ladder. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Double Telescopic Ladder *** Line C - quality double telescopic ladders that meet all safety requirements and best suited for amateur use. ***** Line B - quality double telescopic ladders that meet all safety requirements. Because the ladder is equipped with 2 stabilizers, it provides better stability when used in the "A" position or fully extended. ***** Line A - these are the tallest double telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend these ladders for daily and constant use to professionals and amateurs.

PRICE

Please login to see prices

FEATURES

Gross Weight:	37.48 lb
Height (with packaging):	35.83 inch
Length (with packaging):	8.27 inch
Width (with packaging):	20.87 inch



DESCRIPTION

Fully extended length: 440cm., Step ladder height: 210cm (at the apex)., Rungs: 2x7., Folded size: 87cm x 48cm x 19cm., Weight: 15kg. German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs. Superior quality and stability., Very durable ladders which have been manufactured from high quality aluminum., Hinge locking mechanism adds extra security and rigidity when using the ladder. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Double Telescopic Ladder *** Line C - quality double telescopic ladders that meet all safety requirements and best suited for amateur use. ***** Line B - quality double telescopic ladders that meet all safety requirements. Because the ladder is equipped with 2 stabilizers, it provides better stability when used in the "A" position or fully extended. ***** Line A - these are the tallest double telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend these ladders for daily and constant use to professionals and amateurs.

PRICE

Please login to see prices

FEATURES

Gross Weight:	33.29 lb
Height (with packaging):	35.04 inch
Length (with packaging):	8.27 inch
Width (with packaging):	20.87 inch



DESCRIPTION

Fully extended length: 380cm., Step ladder height: 187cm (at the apex)., Rungs: 2x6., Folded size: 84cm x 47cm x 19cm., Weight: 14.1kg. German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs. Superior quality and stability., Very durable ladders which have been manufactured from high quality aluminum., Hinge locking mechanism adds extra security and rigidity when using the ladder. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Double Telescopic Ladder *** Line C - quality double telescopic ladders that meet all safety requirements and best suited for amateur use. ***** Line B - quality double telescopic ladders that meet all safety requirements. Because the ladder is equipped with 2 stabilizers, it provides better stability when used in the "A" position or fully extended. ***** Line A - these are the tallest double telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend these ladders for daily and constant use to professionals and amateurs.

PRICE

Please login to see prices

FEATURES

Gross Weight:	28.66 lb
Height (with packaging):	33.86 inch
Length (with packaging):	7.87 inch
Width (with packaging):	20.87 inch



DESCRIPTION

Fully extended length: 320cm., Step ladder height: 156cm (at the apex)., Rungs: 2x5., Folded size: 81cm x 47cm x 18cm., Weight: 11kg. German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs. Superior quality and stability., Very durable ladders which have been manufactured from high quality aluminum., Hinge locking mechanism adds extra security and rigidity when using the ladder. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Double Telescopic Ladder *** Line C - quality double telescopic ladders that meet all safety requirements and best suited for amateur use. ***** Line B - quality double telescopic ladders that meet all safety requirements. Because the ladder is equipped with 2 stabilizers, it provides better stability when used in the "A" position or fully extended. ***** Line A - these are the tallest double telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend these ladders for daily and constant use to professionals and amateurs.

WORHAN®

Telescopic Ladder 4.4m (1K4.4)

Item ID: 1K4.4

PRICE

Please login to see prices

FEATURES

Gross Weight:	29.76 lb
Height (with packaging):	39.37 inch
Length (with packaging):	3.94 inch
Width (with packaging):	21.65 inch



DESCRIPTION

Fully extended length: 440cm., Rungs: 15., Folded size: 96cm x 48cm x 9cm., Weight: 12.6kg German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs., Very durable ladders which have been manufactured from high quality aluminum. The new alternative to conventional ladders, the telescopic ladder has many applications for both amateur and professional use., Unique design, the ladder opens and closes "step by step", up to maximum height, so you only open to the necessary height, which allows great maneuverability, especially in small spaces., Folded up, the ladder is extremely compact and easy to transport. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

PRICE

Please login to see prices

FEATURES

Gross Weight:	27.56 lb
Height (with packaging):	21.65 inch
Length (with packaging):	3.94 inch
Width (with packaging):	38.58 inch



DESCRIPTION

Fully extended length: 410cm., Rungs: 14., Folded size: 93cm x 47cm x 9cm., Weight: 11.7kg German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs., Very durable ladders which have been manufactured from high quality aluminum. The new alternative to conventional ladders, the telescopic ladder has many applications for both amateur and professional use., Unique design, the ladder opens and closes "step by step", up to maximum height, so you only open to the necessary height, which allows great maneuverability, especially in small spaces., Folded up, the ladder is extremely compact and easy to transport. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

PRICE

Please login to see prices

FEATURES

Gross Weight:	20.72 lb
Height (with packaging):	18.9 inch
Length (with packaging):	3.54 inch
Width (with packaging):	32.68 inch



DESCRIPTION

Fully extended length: 320cm., Rungs: 11., Folded size: 80cm x 47cm x 7cm., Weight: 7.7kg German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs., Very durable ladders which have been manufactured from high quality aluminum. The new alternative to conventional ladders, the telescopic ladder has many applications for both amateur and professional use., Unique design, the ladder opens and closes "step by step", up to maximum height, so you only open to the necessary height, which allows great maneuverability, especially in small spaces., Folded up, the ladder is extremely compact and easy to transport. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Single Telescopic Ladder *** C-line : quality single telescopic ladders that meet all safety requirements and best suited for amateur use. *** B-line : simple telescopic ladders that meet all safety requirements. It has additional stabilizers which provide a much higher stability during use.*** A-line : the highest quality telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend it for daily use to professionals and amateurs. Integrated safety devices and stabilizer bar.

PRICE

Please login to see prices

FEATURES

Gross Weight:	17.64 lb
Height (with packaging):	19.29 inch
Length (with packaging):	3.54 inch
Width (with packaging):	30.71 inch



DESCRIPTION

Fully extended length: 260cm., Rungs: 9., Folded size: 75cm x 46cm x 9cm., Weight: 6.3kg German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs., Very durable ladders which have been manufactured from high quality aluminum. The new alternative to conventional ladders, the telescopic ladder has many applications for both amateur and professional use., Unique design, the ladder opens and closes "step by step", up to maximum height, so you only open to the necessary height, which allows great maneuverability, especially in small spaces., Folded up, the ladder is extremely compact and easy to transport. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Single Telescopic Ladder *** C-line : quality single telescopic ladders that meet all safety requirements and best suited for amateur use. *** B-line : simple telescopic ladders that meet all safety requirements. It has additional stabilizers which provide a much higher stability during use.*** A-line : the highest quality telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend it for daily use to professionals and amateurs. Integrated safety devices and stabilizer bar.

PRICE

Please login to see prices

FEATURES

Gross Weight:	17.64 lb
Height (with packaging):	18.5 inch
Length (with packaging):	2.76 inch
Width (with packaging):	27.56 inch



DESCRIPTION

Fully extended length: 200cm., Rungs: 7., Folded size: 68cm x 46cm x 6cm., Weight: 4.6kg German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material : Anodized aluminum., Maximum weight : 150kg., Special non-slip ribbed rungs., Very durable ladders which have been manufactured from high quality aluminum. The new alternative to conventional ladders, the telescopic ladder has many applications for both amateur and professional use., Unique design, the ladder opens and closes "step by step", up to maximum height, so you only open to the necessary height, which allows great maneuverability, especially in small spaces., Folded up, the ladder is extremely compact and easy to transport. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products. WORHAN Single Telescopic Ladder *** C-line : quality single telescopic ladders that meet all safety requirements and best suited for amateur use. *** B-line : simple telescopic ladders that meet all safety requirements. It has additional stabilizers which provide a much higher stability during use.*** A-line : the highest quality telescopic ladders we manufacture. In the production phase, emphasis has been placed on safety, durability and maximum stability improvement especially when working at height. We recommend it for daily use to professionals and amateurs. Integrated safety devices and stabilizer bar.

WORHAN®

Multipurpose Ladder 6.7m (KS6.7)

Item ID: KS6.7

PRICE

Please login to see prices

FEATURES

Gross Weight:	36.38 lb
Height (with packaging):	14.17 inch
Length (with packaging):	11.42 inch
Width (with packaging):	67.72 inch



DESCRIPTION

Fully extended length: 630cm., Step ladder height: 302cm., Rungs: 4x6., Folded size: 172cm x 36cm x 29cm., Weight: 16kg. German brand., Exceptional customer service. Manufactured strictly to EN131 safety standard., Material: Anodized aluminum., Maximum weight: 150kg., Special non-slip ribbed rungs., Easy to use locking mechanism. The BIG HINGE model., Extended Stabilizer Bar., Superior quality and stability., Very durable ladders which have been manufactured from high quality aluminum., Hinge locking mechanism adds extra security and rigidity when using the ladder. Why you should buy our products ? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company , we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

PRICE

Please login to see prices

FEATURES

Gross Weight:	44.09 lb
Height (with packaging):	43.31 inch
Length (with packaging):	7.87 inch
Width (with packaging):	35.43 inch



DESCRIPTION

WORHAN Bike Cycle Carrier Rack Towbar Tow Ball Mounted Full LED Lights

This bike carrier of innovative design is constructed from light but durable aluminum. It conforms to all required European quality safety and crash norms: ISO9007, UKAS998. With its advanced and innovative design suitable to most car models on the market. Very rigid and smart coupling system tilts back providing access to the car trunk without off-loading the bikes. Locking mechanism featuring locking arm for ease of use covered by lid to protect it from dirt.

Our bike carrier uses 13 pin power plug and has Full LED lights, a very hard to find feature increasing safety, visibility and enhanced looks on the road. Be seen, be safe. Sophisticated and padded detachable bike frame holders for quick, convenient and easy loading of bikes. Quick release wheel straps will fasten your bike securely to the carrier. Product will fold flat – a desired option for easy handling and storage. Clear illustrated user manual with safety instructions is included.

We are proud to offer Lifetime Guarantee. (Applicable to weld and frame fractures)

Load Capacity Bikes - 4 bikes (FA4) Load Capacity - 60kg

Tiltable with bikes - Yes Suitable bike wheel size - 20 to 28 inches

One Key System compatible - Yes Detachable frame holders - Yes Locks bike to carrier - Yes Locks carrier to car - Yes Fits cars with exterior spare tyre - No

Rear Lights - Full LED lights Powerplug - 13 pin Fulfills City Crash Norms - Yes

Maximum weight per bike - 15kg Fits most bikes with disc brakes - Yes

Folded dimensions - 110 cm x 90 x 20cm (4 bikes (FA4))

PRICE

Please login to see prices

FEATURES

<i>Gross Weight:</i>	0.44 lb
<i>Height (with packaging):</i>	3.94 inch
<i>Length (with packaging):</i>	3.94 inch
<i>Width (with packaging):</i>	3.94 inch



DESCRIPTION

2.5m Extension Cable for LS90N, LS150N, LS180N

WORHAN®

8'1" x 2'7" Heavy duty wheelchair disabled foldable ramp Motorbikes (882 lbs max load) HR245

Item ID: HR245

PRICE

Please login to see prices

FEATURES

Gross Weight:	59 lb
Height (with packaging):	51 inch
Length (with packaging):	7 inch
Width (with packaging):	32 inch



DESCRIPTION

Max recommended working height - 28" (2' 4"), This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 882 lbs., Dimensions: Length unfolded: 8 ft. 1 in., Length folded: 4'14" in., Width: 2'7", Weight: 66 lbs., Dimensions when folded: 4'14" x 2'7" x 6" The heavy-duty aluminum foldable ramp is a valuable asset, offering both strength and convenience. Constructed from durable aluminum, it ensures reliable support for heavy loads, while its foldable design enhances practicality for storage and transport. The non-slip surface provides added safety, preventing potential injuries by ensuring secure footing during use. The inclusion of a convenient carry handle further enhances its usability, making it easy to transport and deploy wherever needed. This ramp is a reliable solution that prioritizes safety and ease of use, making it an essential tool for various applications., Its practicality shines in applications such as loading and unloading heavy equipment, providing wheelchair accessibility, or facilitating seamless transitions in industrial and commercial settings.

WORHAN®

Double Telescopic Ladder With Aluminium Rings 5m

Item ID: AK5+bag

PRICE

Please login to see prices

FEATURES

Gross Weight:	42.02 lb
Height (with packaging):	39.17 inch
Length (with packaging):	8.46 inch
Width (with packaging):	20.87 inch



DESCRIPTION

Multipurpose one of a kind telescopic ladder. Due to its unique design they are perfectly suited and easy to transport, easy to store and they replace many other standard types of ladders. They will purposely serve in private and trade sectors. These highly durable ladders were manufactured using high quality aluminum combined with new technologies and thus creating a heavy duty piece of equipment providing stability in the work environment. Multipurpose ladder advantages: Safe working load - 150kg. Manufactured as per European safety standard EN131. Ability to amend working length or height swiftly, bend them in half, shorten each end individually which makes them ideal to use when working on stairs or uneven surfaces. Heavy duty rubber pads provide superior resistance to wear and ensures solid grip with working surfaces leaving no scratches. Stabilizer adds even more stability and rigidity when ladder is being used.

Measurements of the ladder are:

Height	-	5 m (16' 4")
A Frame height	-	243cm (8')
Rungs	-	2 x 8
Folded size	-	94cm x 47cm x 20cm
Width (top)	-	46 cm
Width (bottom)	-	48cm
Width (stabilizer)	-	68 cm
Inner width between side rails	-	31.8 cm
Weight	-	19.7 kg