

**WORHAN®**

*Products catalogue - 2025*

# WORHAN®

6'9" x 2'7" Heavy duty wheelchair disabled foldable ramp for Motorbikes (882lbs max load) HR7

Item ID: HR7

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>59 lb</b>
Height (with packaging):	<b>43 inch</b>
Length (with packaging):	<b>7 inch</b>
Width (with packaging):	<b>32 inch</b>



## DESCRIPTION

Max recommended working height - 22 in., This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 882 lbs., Product features and dimensions: Length unfolded: 6 ft. 9 in. Width: 30.7 in. Weight: 53 lbs Dimensions when folded : 41.4 in x 5.5 in. x 30.7 in. The heavy-duty aluminum foldable ramp is a valuable asset, offering both strength and convenience. Constructed from durable aluminum, it ensures reliable support for heavy loads, while its foldable design enhances practicality for storage and transport. The non-slip surface provides added safety, preventing potential injuries by ensuring secure footing during use. The inclusion of a convenient carry handle further enhances its usability, making it easy to transport and deploy wherever needed. This ramp is a reliable solution that prioritizes safety and ease of use, making it an essential tool for various applications., Its practicality shines in applications such as loading and unloading heavy equipment, providing wheelchair accessibility, or facilitating seamless transitions in industrial and commercial settings.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>41 lb</b>
Height (with packaging):	<b>72 inch</b>
Length (with packaging):	<b>5 inch</b>
Width (with packaging):	<b>19 inch</b>



## DESCRIPTION

*This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The weight of each ramp is 16 kg (or 32 kg for a pair). Maximum loading capacity - 4000kg, Each ramp is 180cm long and 45cm wide. Heavy duty construction and high strength aluminum used in the manufacturing process will ensure product safety and longevity. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>16 lb</b>
Height (with packaging):	<b>38 inch</b>
Length (with packaging):	<b>6 inch</b>
Width (with packaging):	<b>17 inch</b>



## DESCRIPTION

*Maximum recommended working height: 18"., This product is made of high density aluminum. Maximum load capacity: 249 lbs., Product dimensions: 6' x 1'3" x 2" ., Weight: 13 lbs., Dimensions when folded: 3'1" x 1'3" x 5" This indispensable product not only prevents back pain but also accelerates the loading and unloading process. Crafted from high-strength anodized aluminum, it features an ultra-non-slip surface for added safety. The ramp is thoughtfully designed with a comfortable and durable integrated carrying handle, ensuring convenience and resilience in every use. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>19 lb</b>
Height (with packaging):	<b>38 inch</b>
Length (with packaging):	<b>6 inch</b>
Width (with packaging):	<b>21 inch</b>



## DESCRIPTION


Maximum recommended working height: 18"., This product is made of high density aluminum. Maximum load capacity: 249 lbs., Product dimensions: 6' x 17" x 2" ., Weight: 16 lbs., Dimensions when folded: 3'1" x 17" x 5" This indispensable product not only prevents back pain but also accelerates the loading and unloading process. Crafted from high-strength anodized aluminum, it features an ultra-non-slip surface for added safety. The ramp is thoughtfully designed with a comfortable and durable integrated carrying handle, ensuring convenience and resilience in every use. Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>10 lb</b>
Height (with packaging):	<b>28 inch</b>
Length (with packaging):	<b>3 inch</b>
Width (with packaging):	<b>22 inch</b>



## DESCRIPTION

*Technical specifications: Size: 27.6in. x 21.7in, Weight 8.15 lbs, Maximum load capacity: 600 lbs, Designed to overcome obstacles up to 2 in. The ramp's support points at both ends feature protective strips to safeguard floors from scratches. With no assembly required, this ramp is perfect for effortless mobility in wheelchairs, scooters, wheelbarrows, and more. Crafted from durable anodized aluminum that resists rust, it offers a straightforward design that is both easy to install and remove as needed. The non-slip surface prioritizes user safety, making it an ideal choice for secure and convenient navigation.*

## PRICE

Please login to see prices


## FEATURES

Gross Weight: **13 lb**

Height (with packaging): **25 inch**

Length (with packaging): **4 inch**

Width (with packaging): **16 inch**



## DESCRIPTION


Max recommended working height: 7"., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 2' ., Ramp width: 2'5" ., Weight: 12 lbs., Ramp dimensions when folded: 2' x 1'2" x 3" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>19 lb</b>
Height (with packaging):	<b>37 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 1'., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 3' ., Ramp width: 2'5" ., Weight: 16 lbs., Ramp dimensions when folded: 3' x 1'2" x 3" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.




## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>25 lb</b>
Height (with packaging):	<b>37 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'2" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 4' ., Ramp width: 2'5" ., Weight: 24 lbs., Ramp dimensions when folded: 4' x 1'2" x 3" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>26 lb</b>
Height (with packaging):	<b>26 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 1'2" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 4' ., Ramp width: 2'5" ., Weight: 25 lbs., Ramp dimensions when folded: 2' x 1'2" x 9" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>30 lb</b>
Height (with packaging):	<b>61 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'4" ., This product is made of high density aluminum., Maximum load capacity: 600lbs., Ramp length: 5' ., Ramp width: 2'5" ., Weight: 29lbs., Ramp dimensions when folded: 5' x 1'2" x 9" ., This ramp features Built In Flex Technology TM This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>32 lb</b>
Height (with packaging):	<b>32 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'4" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 5' ., Ramp width: 2'5" ., Weight: 29 lbs., Ramp dimensions when folded: 2'6" x 1'2" x 9" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>37 lb</b>
Height (with packaging):	<b>38 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'8" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 6' ., Ramp width: 2'5" ., Weight: 33 lbs., Ramp dimensions when folded: 3' x 1'2" x 9" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>47 lb</b>
Height (with packaging):	<b>44 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'11" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 7' ., Ramp width: 2'5" ., Weight: 41 lbs., Ramp dimensions when folded: 3'6" x 1'2" x 9" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>53 lb</b>
Height (with packaging):	<b>50 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 2'3" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 8' ., Ramp width: 2'5" ., Weight: 47 lbs., Ramp dimensions when folded: 4' x 1'2" x 9" ., This ramp features Built In Flex Technology™ This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>67 lb</b>
Height (with packaging):	<b>62 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 2'9" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 10' ., Ramp width: 2'5" ., Weight: 57 lbs., Ramp dimensions when folded: 4'11" x 1'2" x 9" ., Supplied with a set 2 of middle support legs. This ramp features Built In Flex Technology TM. This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.




## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>14 lb</b>
Height (with packaging):	<b>25 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 7"., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 2' ., Ramp width: 2'5" ., Weight: 12 lbs., Ramp dimensions when folded: 2' x 1'2" x 3" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>20 lb</b>
Height (with packaging):	<b>37 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 1'., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 3' ., Ramp width: 2'5" ., Weight: 16 lbs., Ramp dimensions when folded: 3' x 1'2" x 3" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight: **25 lb**

Height (with packaging): **49 inch**

Length (with packaging): **4 inch**

Width (with packaging): **16 inch**



## DESCRIPTION


Max recommended working height: 1'2" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 4' ., Ramp width: 2'5" ., Weight: 24 lbs., Ramp dimensions when folded: 4' x 1'2" x 3" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>26 lb</b>
Height (with packaging):	<b>26 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

*Max recommended working height: 1'2" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 4' ., Ramp width: 2'5" ., Weight: 25 lbs., Ramp dimensions when folded: 2' x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.*

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>31 lb</b>
Height (with packaging):	<b>61 inch</b>
Length (with packaging):	<b>4 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'4" ., This product is made of high density aluminum., Maximum load capacity: 600lbs., Ramp length: 5' ., Ramp width: 2'5" ., Weight: 29lbs., Ramp dimensions when folded: 5' x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>32 lb</b>
Height (with packaging):	<b>32 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 1'4" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 5' ., Ramp width: 2'5" ., Weight: 29 lbs., Ramp dimensions when folded: 2'6" x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>37 lb</b>
Height (with packaging):	<b>38 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION


Max recommended working height: 1'8" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 6' ., Ramp width: 2'5" ., Weight: 33 lbs., Ramp dimensions when folded: 3' x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

## PRICE

Please login to see prices

## FEATURES

Gross Weight:	<b>47 lb</b>
Height (with packaging):	<b>44 inch</b>
Length (with packaging):	<b>10 inch</b>
Width (with packaging):	<b>16 inch</b>



## DESCRIPTION

Max recommended working height: 1'11" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 7' ., Ramp width: 2'5" ., Weight: 41 lbs., Ramp dimensions when folded: 3'6" x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.



## PRICE

Please login to see prices

## FEATURES

Gross Weight: **53 lb**

Height (with packaging): **50 inch**

Length (with packaging): **10 inch**

Width (with packaging): **16 inch**



## DESCRIPTION

Max recommended working height: 2'3" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 8' ., Ramp width: 2'5" ., Weight: 47 lbs., Ramp dimensions when folded: 4' x 1'2" x 9" ., This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.

# WORHAN®

10ft Mobility Ramp (R10J)

Item ID: R10J

## PRICE

Please login to see prices

## FEATURES

Gross Weight: **67 lb**

Height (with packaging): **62 inch**

Length (with packaging): **10 inch**

Width (with packaging): **16 inch**



## DESCRIPTION

*Enhanced Strength and Stability: We prioritize your safety by using thicker gauge materials, ensuring our products offer unparalleled strength and increased stability. Specialized Expertise: With years of dedicated experience, we specialize in the production of ladders and ramps. Our commitment to excellence is reflected in every product we create. German Craftsmanship: As a German brand, we pride ourselves on precision and reliability. We stand firmly behind our products, providing long-term support and assurance. Premium Quality Materials: Our products are crafted from the highest quality aluminum, guaranteeing robustness and longevity. Your satisfaction and safety are our top priorities.*

*how to say better the following text? : This indispensable product not only prevents back pain but also accelerates the loading and unloading process. Crafted from high-strength anodized aluminum, it features an ultra-non-slip surface for added safety. The ramp is thoughtfully designed with a comfortable and durable integrated carrying handle, ensuring convenience and resilience in every use. Enhanced with anti-skid features, these feet are ideal for use on grates, in various jobsite environments, or even at home and in the garage. They are the optimal selection for tasks demanding regular climbing and extended periods of standing. Specifically crafted to cater to the requirements of professional and trade users, each step is equipped with a grooved anti-skid surface for maximum safety and stability. Max recommended working height: 2'9" ., This product is made of high density aluminum., Maximum load capacity: 600 lbs., Ramp length: 10' ., Ramp width: 2'5" ., Weight: 57 lbs., Ramp dimensions when folded: 4'11" x 1'2" x 9" ., Supplied with a set 2 of middle support legs. This ramp features Built In Flex Technology TM., Covered with Special Antislip Surface This ramp folds up very easily., Additional safety features: grooved/ribbed surface provides excellent grip even during moist/rainy weather conditions. Safety locking pins (attached to each side of the ramp) allow the possibility to anchor the ramp in place (if required) and also helps to maintain the ramp in folded state when not in use. Material: high purity grade anodized aluminum, highly resistant to corrosion and will withstand multiple harsh weather elements. Ramps are designed and suitable for outdoor & indoor use., Comfort features: Ramp is equipped with heavy duty carry handle. Ergonomic folding ensures ease of transportation and storage.*